Linkages and partnerships in PAC

The role of FIGO

Anibal Faundes, FIGO

New Evidence and Strategies for Scaling up Post-abortion Care

Alexandria, Egypt, May 12th -13th, 2010

Comprehensive Post-Abortion Care in the Plans of action of the FIGO initiative for the prevention of Unsafe **Abortion Example of partnership**

POST-ABORTION CARE IN PLANS OF ACTION OF THE FIGO INITIATIVE

Region	PAC in PoA
South America	7/8
Central America & Caribbean	8/8
Western-Central Africa	3/5
Eastern-Central-Southern Africa	3/7
North Africa Eastern Mediterranean	4/5
South-Southeast Africa	4/6
Eastern-Central Europe	4/4
TOTAL	33/43

Agencies and organizations collaborating with PAC activities

- Asia Safe Abortion Partnership
- Concept Foundation
- EngendeHealth
- Gynuity
- International Consortium for Medical Abortion
- Ipas
- IPPF

Agencies and organizations collaborating with PAC activities

- Marie Stopes International
- Packard
- Pathfinder
- Population Council
- Population Services International
- UNFPA
- Ventures Initiatives
- WHO

Role of Obstetricians Gynecologists in PAC

Role of Obstetricians Gynecologists in PAC

Bound to FIGO guidelines

- FIGO Professional and Ethical Responsibilities Concerning Sexual and Reproductive Rights
- Family Planning: A Key Component of Post-abortion Care

A. Professional Competence:

• 1. Attain and maintain the highest standards of professional competence in women's health, utilizing the most current and best available medical evidence within the context of available resources.

 Use of newest technology: MVA, MA

A. Professional Competence:

6. Refuse to practice, or support practices, that violate human rights or principles of medical ethics.


B. Women's Autonomy and Confidentiality:

3. Adhere to the principle of non-discrimination in order to assure that every woman is treated respectfully regardless of age, marital status, ethnicity, political affiliation, race, religion, economic status, disability, or other status

No discrimination of women with incomplete abortion

Delay in providing care according to cause of maternal death.

Gabon, 2005 – 2008



Source: Mayi-Tsonga S. et al. Delay in the provision of adequate care to women who died from abortion-related complications in the principal maternity hospital of Gabon. Reproductive Health Matters 2009;17(34):1–7

B. Women's Autonomy and Confidentiality:

1. Ensure that confidentiality will prevent privileged information and recorded documents from being shared verbally or otherwise, except as required by law or desired by the patient.

Protect confidentiality

C. Responsibility to the Community:

3. Advocate for appropriate resources and care for women seeking better reproductive and sexual health to ensure the rights to the highest attainable standard of health and the right to benefit from scientific progress.

 Use the professional status to promote adoption of best practices in PAC

FAMILY PLANNING: A KEY COMPONENT OF POST-ABORTION CARE

Consensus Statement FIGO, ICM, ICN USAID

Consensus Statement on FP in Post-Abortion care

 All post-abortion women should receive voluntary post abortion family planning counseling.


Consensus Statement on FP in Post-Abortion care

 Provision of universal access to post abortion family planning should be a standard of practice for doctors, nurses, and midwives.

FIGO, ICM, and ICN health professionals have a special advocacy role with policymakers and governments for ensuring quality post abortion family planning services.

Linkages and partnerships in PAC, the role of FIGO

FIGO member societies should always be considered as potential partners in the promotion and implementation of PAC



THANK YOU FOR YOUR ATTENTION